


Accessories




FIXED SHELF

Shelf assembly to 19" panel mounting angles allow mixed installation with 19" distribution panels.

Material: 1.2mm Steel

Order Code	Mounting	Depth	Used on	Loading (kg)
T 37	19"	370 mm	600mm deep rack	50
T 45	19"	450 mm	800 & 880mm deep rack	50
T 60	19"	600 mm	800 & 880mm deep rack	100
FT 70	19"	700 mm	960mm or above deep rack	100
FTD 70	19"	700 mm	960mm or above deep rack	200
FT8-T 60	27"	600 mm	800 & 880mm deep rack	100
FT8-T 70	27"	600 mm	960mm or above deep rack	100




SLIDING SHELF

Shelf assembly to 19" panel mounting angles allow mixed installation with 19" distribution panels.

Material: 1.2mm Steel

Order Code	Mounting	Depth	Used on	Loading (kg)
ST 37	19"	370 mm	600mm deep rack	35
ST 45	19"	450 mm	800 & 880mm deep rack	35
ST 60	19"	600 mm	800 & 880mm deep rack	35
FST 60	19"	600 mm	960mm or above deep rack	35
FSTD 60	19"	600 mm	960mm or above deep rack	100
FT8-ST 60	27"	600 mm	800 & 880mm deep rack	35
FT8-FST 60	27"	600 mm	960mm or above deep rack	35




MODEM SHELF

Support surface for 19" panel mount, Idea for networking applications and modem mounting

Material: 1.2mm Steel

Loading: 25kg

Order Code	Mounting	Height	Description
LS 20	19"	1U	200mm deep,universal front mount
LS 40	19"	2U	400mm deep,universal front mount




2U SLIDING DRAWER UNIT

Sliding Drawer Unit provide a 2U height space for equipment housing and lockable for security. Supplied complete with telescopic slides the have "hold-in" springs fitted

Material: 1.2mm Steel

Order Code	Mounting	Depth	Used on	Loading (kg)
SD 37	19"	370 mm	600mm deep rack	35
SD 45	19"	450 mm	800 & 880mm deep rack	35
FSD 60	19"	600 mm	960mm or above deep rack	35

Accessories




FIXED SHELF (DIRECT MOUNT)

These shelf are designed for applications where equipment wider than 19" is to be mounted or used in conjunction with fixed panel mounts. As they are fitted directly to the panel mounting support.


Material: 1.2mm Steel

Order Code	Mounting	Depth	Used on	Loading (kg)
DT 37	Direct	370 mm	600mm deep rack	50
DT 45	Direct	450 mm	800 & 880mm deep rack	50
DT 60	Direct	600 mm	800 & 880mm deep rack	100
DT 70	Direct	700 mm	960mm or above deep rack	100



Installation Layout

Upper: 12U 19" Mounting
Lower: Direct Mounting



SLIDING SHELF (DIRECT MOUNT)

These shelf are designed for applications where equipment wider than 19" is to be mounted or used in conjunction with fixed panel mounts. As they are fitted directly to the panel mounting support.

Material: 1.2mm Steel

Order Code	Mounting	Depth	Used on	Loading (kg)
DST 37	Direct	370 mm	600mm deep rack	35
DST 45	Direct	450 mm	800 & 880mm deep rack	35
DST 60	Direct	600 mm	800mm or above deep rack	35
DSTD 60	Direct	600 mm	800mm or above deep rack	100



19" PLAIN PANEL

To cover reserved or unused locations.

Material: 1.2mm Steel

Order Code	Mounting	Height	Description
P1	19"	1U	Plain panel, universal front mount
P2	19"	2U	Plain panel, universal front mount
P3	19"	3U	Plain panel, universal front mount
P4	19"	4U	Plain panel, universal front mount
P5	19"	5U	Plain panel, universal front mount


Accessories



TOP FAN TRAY

Allow fans to be installed in the top cover
 600mm deep rack: maximum of 2 fans
 800 & 880mm deep rack: maximum of 4 fans
 960mm or above deep rack: maximum of 6 fans


Order Code	Description	Used on
FT 66	600 wide Top fan tray	600 mm deep rack
FT 68	600 wide Top fan tray	800 & 880mm deep rack
FT 69	600 wide Top fan tray	960mm or above deep rack
FT 86	800 wide Top fan tray	600mm deep rack
FT 88	800 wide Top fan tray	800 & 880mm deep rack
FT 89	800 wide Top fan tray	960mm or above deep rack



1U 19" FAN TRAY

Allow up to fans to be installed in the upper frame with any 19" mounting area.
 Improved airflow and performance
 Improved styling


Order Code	Description
RMF-3	19" fan tray with 3 x AC 220V ball bearing fan, 250mm deep



1U 19" FAN TRAY

Allow up to fans to be installed in the upper frame with any 19" mounting area.
 Improved airflow and performance
 Improved styling

Order Code	Description
RMF-6	19" fan tray with 6 x AC 220V ball bearing fan, 350mm deep



4U 19" FAN TRAY

Allow up to fans to be installed in the upper frame with any 19" mounting area.
 Improved airflow and performance
 Improved styling

Order Code	Description
FR-2	4U 19" fan tray with 2 x AC 220V ball bearing fan
FR-4	7U 19" fan tray with 4 x AC 220V ball bearing fan



FAN UNIT

For installation in the fan tray.
 Supplied with connection cable and snap-on finger guard.

Order Code	Description
SF	4" x 4" AC 220V ball bearing fan (single)


Accessories



BOTTOM GRAND PLATE (C CLASS)

For covering bottom opening 4 and 6 base plates are required for covering bottom opening.

Order Code	Description
CBP 66	Bottom grand plate, set of 4 (for 600mm deep rack)
CBP 68	Bottom grand plate, set of 6 (for 800mm or above deep rack)



BOTTOM GRAND PLATE (X CLASS)

For covering bottom opening 2 and 4 base plates are required for covering bottom opening.

Order Code	Description
XBP 66	Bottom grand plate, set of 2 (for 600mm deep rack)
XBP 68	Bottom grand plate, set of 3 (for 880mm deep rack)
XBP 69	Bottom grand plate, set of 4 (for 980mm or above deep rack)



HEAVY DUTY CASTOR

Castor load 320kg each under average conditions, fitted to the rack with bolting on the plinth.
Height: 68mm

Order Code	Description
HC	Heavy duty castor, set of 4



ADJUSTABLE LEVELING FEET

To compensate for uneven floors.
Diameter 45mm
Thread M 12

Order Code	Description
LF	Leveling feet, set of 4



M6 FIXINGS

M6 x 12 Screw, cage nut and plastic cup washers, set of 50

Order Code	Description
M6S	M6 panel fixings, cage nut and cup washers, set of 50


Accessories



BOLTING KIT (C CLASS)

Assembly parts for bolting of two cabinet frames.
The protection level remains unaffected.
When assembled in rows.
Side panel are not between the cabinets.


Order Code	Description	Size
CBKS	Bolting kit , set of 4	86 x 47mm (W x H)



BOLTING KIT (X CLASS)

Assembly parts for bolting of two cabinet frames.
The protection level remains unaffected.
When assembled in rows.
Side panel are not between the cabinets.


Order Code	Description	Size
XBKS	Bolting kit , set of 4	90 x 60 mm (W x H)



CABLE RING

For tidy management of cable bundles


Order Code	Description	Size
CR 1	Cable ring , set of 5	42 x 75 mm (W x D)
CR 2	Cable ring , set of 5	87 x 75 mm (W x D)



CABLE MANAGEMENT

For routing cables and wires neatly on the 19" plane
Material: 1.2mm Steel

Order Code	Description	Depth
CM 1	1U 19" cable management	65 mm
CM 2	2U 19" cable management	65 mm



CABLE RING PANEL

For routing cables and wires neatly on the 19" plane
Equipped with 5 steel cable ring.
Material: 1.2mm Steel

Order Code	Description	Size
MP1	1U 19" cable ring panel	42 x 75 mm (W x D)
MP2	2U 19" cable ring panel	87 x 75 mm (W x D)

Accessories



CABINET LIGHT

Provides excellent visibility.
Plastic case with fluorescent lamp and switch.


Order Code	Description
CL	Cabinet light, AC220V



THERMO

Min-Max Temperature and Relative Humidity Memory.


Order Code	Description
TEC	In-out thermo unit



DOCUMENT WALLETS

For storage of documents and circuit diagrams.
It is available in A5 and A4 size


Order Code	Description
DA 4	Document wallets, A4 size
DA 5	Document wallets, A5 size



LOCKS

A3 lock (use on front and rear door)
Handle lock (use on front and rear door)
Standard lock (use on side panel)

Order Code	Description
A3L	A3 lock
HL	Handle lock
SL	Standard lock



INFILL PANEL AND CABLE BRUSH

These panels have a nominal size of 1U and 5U.
For example, 5u panel plus 37U door would fit a 42U rack.
Cable brush panel for bulk cable access using.

Order Code	Description
IP-1	1U Infill panel
IP-5	5U Infill panel
CB-5	5U Cable brush

Accessories




CABLE SUPPORT

For shelves with telescopic slides. Automatically guides cables on telescopic frames and shelves. May be mounted directly to cabinet uprights. Cable may be secured using cable ties.

Steel: 1.2mm

Order Code	Description	Extension length
CS 25	Cable support	255 mm
CS 35	Cable support	350 mm
CS 40	Cable support	400 mm



CABLE TRAY / CABLE TRUNKING

For assembling to cabinet panel mounting angles to universal mounting rail system

Order Code	Description
PCT 42	42U plastic cable trunking, 65 x 65mm (W x D), set of 2
PCT 37	37U plastic cable trunking, 65 x 65mm (W x D), set of 2
CT 42	42U cable tray 75 x 10mm (W x D), set of 2
CT 37	37U cable tray 75 x 10mm (W x D), set of 2



M10 LIFTING EYE

For lifting network cabinet. For cabinets with sealed or raised top covers.

Order Code	Description
LE	M10 lifting eye, set of 4




GND / EARTHING KIT

The GND / earthing provide of the cabinet and accessories of the cabinet.

Finish: green, yellow.

Order Code	Description
GEK	Earth wire, 300mm length, set of 6



FLAT GND / EARTHING RAIL

The GND / earthing kit allows for GND/ earthing of cabinet and Accessories to VDE specifications.

Order Code	Description
GER	Earth rail, 708mm length