


C Class ServerLan - Multi-Platform Server Enclosure

600mm Wide

Ordering Information

Effective Height (U)	Overall Dimension	Width / Depth (mm)	Order Code (Two Tone Grey)	Order Code (Anthracite Black)
45U	2185mm / 86"	600 x 1100	C 6145	C 6145B
		600 x 1000	C 6045	C 6045B
		600 x 960	C 6945	C 6945B
		600 x 800	C 6845	C 6845B
		600 x 600	C 6645	C 6645B
42U	2055mm / 81"	600 x 1100	C 6142	C 6142B
		600 x 1000	C 6042	C 6042B
		600 x 960	C 6942	C 6942B
		600 x 800	C 6842	C 6842B
		600 x 600	C 6642	C 6642B
37U	1835mm / 72"	600 x 1100	C 6137	C 6137B
		600 x 1000	C 6037	C 6037B
		600 x 960	C 6937	C 6937B
		600 x 800	C 6837	C 6837B
		600 x 600	C 6637	C 6637B
27U	1390mm / 55"	600 x 960	C 6927	C 6927B
		600 x 800	C 6827	C 6827B
		600 x 600	C 6627	C 6627B
22U	1165mm / 46"	600 x 960	C 6922	C 6922B
		600 x 800	C 6822	C 6822B
		600 x 600	C 6622	C 6622B
17U	945mm / 37"	600 x 960	C 6917	C 6917B
		600 x 800	C 6817	C 6817B
		600 x 600	C 6617	C 6617B




800mm Wide

Ordering Information


Effective Height (U)	Overall Dimension	Width / Depth (mm)	Order Code (Two Tone Grey)	Order Code (Anthracite Black)
45U	2185mm / 86"	800 x 1000	C 8045	C 8045B
		800 x 960	C 8945	C 8945B
		800 x 800	C 8845	C 8845B
		800 x 600	C 8645	C 8645B
42U	2055mm / 81"	800 x 1000	C 8042	C 8042B
		800 x 960	C 8942	C 8942B
		800 x 800	C 8842	C 8842B
		800 x 600	C 8642	C 8642B
37U	1835mm / 72"	800 x 1000	C 8037	C 8037B
		800 x 960	C 8937	C 8937B
		800 x 800	C 8837	C 8837B
		800 x 600	C 8637	C 8637B
27U	1390mm / 55"	800 x 960	C 8927	C 8927B
		800 x 800	C 8827	C 8827B
		800 x 600	C 8627	C 8627B
22U	1165mm / 46"	800 x 960	C 8922	C 8922B
		800 x 800	C 8822	C 8822B
		800 x 600	C 8622	C 8622B
17U	945mm / 37"	800 x 960	C 8917	C 8917B
		800 x 800	C 8817	C 8817B
		800 x 600	C 8617	C 8617B

C Class - Structure




- 1 - Heavy duty main frame
- 2 - Perforated top cover
- 3 - Plain top cover
- 4 - Standard glass door
- 5 - Perforated glass door
- 6 - Perforated middle split glass door
- 7 - Standard steel door
- 8 - Plain steel door
- 9 - Perforated steel door
- 10 - Perforated middle split steel door
- 11 - Standard side panel
- 12 - Perforated side panel


TOP COVER




BASE UNIT



FRONT VIEW



SIDE VIEW



INDUSTRIAL STANDARDS

IEC 297
EIA-310

MATERIAL SPECIFICATION

Top and base: 1.5mm steel
Framework: 1.5mm steel
Mounting support: 1.5mm steel
Panel mounting angle: 2.0mm steel
Glass door, steel door & side panel: 1.5mm steel
Finish: powder epoxy coated

COLOUR SPECIFICATION

Standard Two Tone Grey:

Top cover: RAL 7035 Light Grey
Base: RAL 7035 Light Grey
Framework: RAL 7035 Light Grey
Mounting support: RAL 7035 Light Grey
Panel mounting angle: RAL 7035 Light Grey
Side panel: RAL 7035 Light Grey
Front and rear door: RAL 7037 Dark Grey

Whole Black:

RAL 7016 Anthracite Black