



LCD KVM SWITCHES



LCD KVM SWITCHES

- LCD Display
- Keyboard Drawer
- Touch Pad
- KVM Switches

➤ 19" Rackmount LCD KVM Switches



15"

➤ LK115-1

LCD display / keyboard / touch Pad

- Space saving - 1U height slim design 19" rack-mount unit
- 15" TFT LCD screen, Slide away flip-up display
- 105 Key keyboard and touch pad
- Can power off when LCD panel board closed.
- Compatible with most PS/2 touch.
- No software required, convenient computer selection via intuitive
- OS Compatibility: DOS / WIN98 / WIN ME / WIN 2K / WIN NT / WIN 2003
WIN XP / WIN VISTA / LINUX.

LK115-8

8 Port KVM

LCD display / keyboard / touch Pad / KVM switch

- Space saving - 1U height slim design 19" rack-mount unit
- 15" TFT LCD screen, Slide away flip-up display
- Build in 8 port KVM Switch
- 105 Key keyboard and touch pad
- Can power off when LCD panel board closed.
- Build in On screen Display (OSD)
- No software required, convenient computer selection via intuitive
- OS Compatibility: DOS / WIN98 / WIN ME / WIN 2K / WIN NT / WIN 2003
WIN XP / WIN VISTA / LINUX.



15"



15"

➤ LK115-16

16 Port KVM

LCD display / keyboard / touch Pad / KVM switch

- Space saving - 1U height slim design 19" rack-mount unit
- 15" TFT LCD screen, Slide away flip-up display
- Build in 16 port KVM Switch
- 105 Key keyboard and touch pad
- Can power off when LCD panel board closed.
- Build in On screen Display (OSD)
- No software required, convenient computer selection via intuitive
- OS Compatibility: DOS / WIN98 / WIN ME / WIN 2K / WIN NT / WIN 2003
WIN XP / WIN VISTA / LINUX.

The CTL LCD KVM Switch is your idea Network management solution. It combines 8 and 16 port KVM Console, LCD display, keyboard and touchpad into a nearly arranged, the LCD KVM Switch at any height within the rack for maximum comfort and convenience saving precious rack space while offering the most efficient way to control multiple computers. Just slide the keyboard drawer out, flip up the LCD cover and you are ready to go to work.



17"

LK117-8



LCD display / keyboard / touch Pad / KVM switch

- Space saving - 1U height slim design 19" rack-mount unit
- 17" TFT LCD screen, Slide away flip-up display
- Build in 8 port KVM Switch
- 105 Key keyboard and touch pad
- Can power off when LCD panel board closed.
- Build in On screen Display (OSD)
- No software required, convenient computer selection via intuitive
- OS Compatibility: DOS / WIN98 / WIN ME / WIN 2K / WIN NT / WIN 2003
WIN XP / WIN VISTA / LINUX.

LK117-16



LCD display / keyboard / touch Pad / KVM switch

- Space saving - 1U height slim design 19" rack-mount unit
- 17" TFT LCD screen, Slide away flip-up display
- Build in 16 port KVM Switch
- 105 Key keyboard and touch pad
- Can power off when LCD panel board closed.
- Build in On screen Display (OSD)
- No software required, convenient computer selection via intuitive
- OS Compatibility: DOS / WIN98 / WIN ME / WIN 2K / WIN NT / WIN 2003
WIN XP / WIN VISTA / LINUX.



17"



COMPATIBILITY WITH



KVM Switches



USB TO PS/2 ADAPTOR

- The USB to PS/2 Adaptor allows you to link two PS/2 devices, such as a keyboard and mouse, to a single USB port on your computer.
- The USB to PS/2 Adaptor lets you easily connect a full-size PS/2 keyboard and mouse to your notebook or desktop computer. Two devices can be used simultaneously, and you can plug and unplug devices without rebooting.

Order Code	Power Consumption	Length
PS 121	25 mA	320 mm



KVM CABLE (DB15M / DB15M)

- Connectors: PS/2 Style
- Keyboard Connectors: 6 DIN Male (both ends)
- Mouse Connectors: 6 DIN Male (both ends)
- Video connectors: High Density DB15 Male to PCs, High Density DB15 Male to KVM Switch

Order Code	Description	Length
PV 1.8C	DB15M / DB15M + MD6M x 2	1.8 M
PV 3.0C	DB15M / DB15M + MD6M x 2	3 M
PV 5.0C	DB15M / DB15M + MD6M x 2	5 M



KVM CABLE (DB15M / DB15F)

- Connectors: PS/2 Style
- Keyboard Connectors: 6 DIN Male (both ends)
- Mouse Connectors: 6 DIN Male (both ends)
- Video connectors: High Density DB15 Male to PCs, High Density DB15 Female to KVM Switch

Order Code	Description	Length
KVM 1.8C	DB15M / DB15F + MD6M x 2	1.8 M
KVM 3.0C	DB15M / DB15F + MD6M x 2	3 M
KVM 5.0C	DB15M / DB15F + MD6M x 2	5 M



KVM SWITCHES

- Space saving - 1U height slim design 19" rack-mount unit.
- Single console control up to 4 computers.
- Build in On screen Display (OSD)
- Auto Scan feature for monitoring user selected computers.
- PS/2 mouse emulation provided for system boot up.
- No software required, convenient computer selection via intuitive.
- OS Compatibility: DOS / WIN98 / WIN ME / WIN 2K / WIN NT / WIN 2003 / WIN XP / WIN VISTA / LINUX.

Order Code	KVM	OSD	Size (W x D x H)
MPS 1304	4 port	Yes	483 x 155 x 45 mm
MPS 1308	8 port	Yes	483 x 155 x 45 mm
MPS 1316	16 port	Yes	483 x 155 x 45 mm



Cireco Technology (Asia) Limited

E-mail: sales@cireco.com.hk

http: www.cireco.com.hk

Distributed by: